# UBIQUA CORDLESS LIFE





## Introducing UBIQUA

The "UBIQUA" brand comes from the Latin word "Ubique" meaning "everywhere", reflecting the brand's creative targets by redefining the concept of lighting.

UBIQUA's mission: the company has always adhered to the concept of combining design and functionality in its products by continuously investing in new ideas and products. With our Italian style center, located Verona and coordinated by the Italian designer Franco Pagliarini, we introduced a significant innovation in the world of lighting with the use of the recharging base.

Thanks to this invention, people can enjoy greater freedom of movement with their lighting, being able to position lamps in strategic points without worrying about cables and sockets.

With the integration of these technologies of rechargeable batteries, LEDs and recharging bases, they have made it possible to use these types of lamps without the need to constantly connect them to a power source.

This has not only simplified and made the use of these lamps safer, but also contributed to energy savings and reduced environmental impact. We believe this innovation has had a positive impact on people's daily lives, improving lighting in different contexts, such as the home, outdoor spaces, public spaces, restaurants, hotels, bars and more.

### **Elstead Lighting UAE**

Elstead Lighting UAE is part of the British Company Elstead Lighting Group, established in 1969 and specializes in the manufacture and distribution of decorative lighting. Elstead is renowned for a large range of stylish lighting products which are sold to worldwide customers, lighting beautiful homes and hospitality venues in more than 50 countries. The UAE operation, which incorporates The Ceiling Fan Company as part of its UAE operation, has partnered with the brand Ubiqua to present and sell these unique products exclusively in the UAE.























# Plissé














### Plissé



189201	White	189207	Yellow	*
189202	Black	189208	Blue	*
189203	Sand	* 189241	UV Gold	
189204	Sage	* 189242	UV Chrome	•
189205	Pink e	* 189243	UV bronze	*
189206	Red	* Special	Order Colour – availab	e via factory order



LED rechargeable lamp Touch switch

Dimmable: 5%-100%

IP54 ♦ ▲

### Materials:

- Aluminium die-casting - Powder coating painting

- Frosted polycarbonate diffuser

Charging time: 6-7h


Working time: 11-12h
Input: DC 5V == 1A (Adapter not included)
Power: 2.2W, 5V

Lithium Battery: 2\*2200 mAh

LED: Lumileds 4014 Lumens: 192/194 CCT: 2700k / 3000k

CRI ≥80

# PINUP















# Pinup



## Pinup



322501	White	
322502	Black	
322503	Sand	•
322504	Sage	•
322506	Red	•
322507	Yellow	*

\* Special Order Colour – available via factory order

322601	White	*
322602	Black	•
322603	Sand	•
322604	Sage	•
322606	Red	•
322607	Yellow	•

\* Special Order Colour – available via factory order

### CE ®

LED rechargeable lamp Touch switch Dimmable: 5%-100%

IP54 ♦ ▲

#### Materials:

- Aluminium die-casting - Powder coating painting - Frosted polycarbonate diffuser

Charging time: 6-7h Working time: 11-12h

Input: DC 5V == 1A (Adapter not included)

Power: 2.2W, 5V

Lithium Battery: 2\*2200 mAh

LED: Lumileds 4014 Lumens: 167/175 CCT: 2700k / 3000k

CRI ≥80

Warranty: 3 years / Battery: 2 years



LED rechargeable lamp Touch switch

Dimmable: 5%-100%

IP54 ♦ ▲

#### Materials:

- Aluminium die-casting - Powder coating painting - Frosted polycarbonate diffuser

Charging time: 2-3h Working time: 6-7h

Input: DC 5V == 1A (Adapter not included)

Power: 1.8W, 5V

Lithium Battery: 1\*2200 mAh

LED: Lumileds 4014 Lumens: 133/140 CCT: 2700k / 3000k

CRI ≥80

# STANDY

**UB**ìQUA













# Design: Franco Pagliarini

### Standy Maxi



### Standy Mini



White

Black

Sand

Sage

Matt Chrome

\* Special Order Colour - available via factory order

Matt Gold

321301	White	$\bigcirc$	*
321302	Black		
321303	Sand		*
321304	Sage		*
321332	Matt Chrome		*
321333	Matt Gold		

\* Special Order Colour – available via factory order



321401

321402

321403

321404

321432

321433

LED rechargeable lamp Touch switch

Dimmable: 5%-100%

IP54 ♦ ▲

#### Materials:

- Aluminium die-casting - Powder coating painting
- Frosted polycarbonate diffuser

Charging time: 2-3h Working time: 6-7h

Input: DC 5V == 1A (Adapter not included)

Power: 1.5W, 5V

Lithium Battery: 2\*800 mAh

LED: Lumileds 4014 Lumens: 126/129 CCT: 2700k / 3000k

CRI ≥80

Warranty: 3 years / Battery: 2 years

### **(€ ⊕**

LED rechargeable lamp Touch switch

Dimmable: 5%-100%

IP54 ♦ ▲

### Materials:

Aluminium die-castingPowder coating painting

- Frosted polycarbonate diffuser

Charging time: 6-7h Working time: 11-12h

Input: DC 5V == 1A (Adapter not included)

Power: 2.2W, 5V

Lithium Battery: 2\*2200 mAh

LED: Lumileds 4014 Lumens: 185/191 CCT: 2700k / 3000k

CRI ≥80

#### 255

# DUPLO










### Duplo



322301	White	
322302	Black	
322303	Sand	•
322304	Sage	•
322306	Red	•
322309	Corten	•

<sup>☀</sup> Special Order Colour – available via factory order



LED rechargeable lamp Touch switch Dimmable: 5%-100%

IP54 **※** <u></u>▲

### Materials:

- Aluminium die-casting
- Powder coating painting
- Frosted polycarbonate diffuser

Charging time: 4-5h Working time: 7-8h

Input: DC 5V == 1A (Adapter not included)

Power 2.2W, 5V

Lithium Battery: 1\*3000 mAh

LED: Lumileds 4014 Lumens: 181/187 CCT: 2700k / 3000k

CRI ≥80

# TWIGGY










## Twiggy



322101	White	•
322103	Sand	
322105	Pink	
322106	Red	•

\* Special Order Colour – available via factory order



LED rechargeable lamp Touch switch

Dimmable: 5%-100%

IP54 ♦ ▲

#### Materials:

Aluminium die-castingPowder coating painting

- Frosted polycarbonate diffuser

Charging time: 6-7h Working time: 11-12h

Input: DC 5V == 1A (Adapter not included)

Power: 2.2W, 5V

Lithium Battery: 2\*2200 mAh

LED: Lumileds 4014 Lumens: 178/180 CCT: 2700k / 3000k

CRI ≥80

# CRYSTAL













## Crystal





\* Special Order Colour – available via factory order



LED rechargeable lamp Touch switch

Dimmable: 5%-100%

IP54 ♦ ▲

#### Materials:

- Aluminium die-casting
- Powder coating painting
- Smoky glass
- Frosted polycarbonate diffuser

Charging time: 6-8h Working time: 11h

Input: DC 5V == 1A (Adapter not included)

Power: 2.2W, 5V

Lithium Battery: 2\*2200 mAh

LED: Lumileds 4014 Lumens: 160/173 CCT: 2700k / 3000k

 $CRI \ge 80$ 

# FLORA














## Flora



339101	White	$\bigcirc$
339103	Sand	
339104	Sage	



LED rechargeable lamp

Touch switch

Dimmable: 5%-100%

IP54 ♦ ▲

#### Materials:

- Aluminium die-casting
- Powder coating painting
- Frosted polycarbonate diffuser

Charging time: 5-6h Working time: 11-12h

Input: DC 5V == 1A (Adapter not included)

Power: 2.2W, 5V

Lithium Battery: 2\*2200 mAh

LED: Lumileds 4014 Lumens: 163/173 CCT: 2700k / 3000k

CRI ≥80


# ZOOM





















### Zoom Floor



### Zoom Twin Floor



329101	White	*	329301	White	*	329401	White	$\bigcirc$	*
329102	Black	•	329302	Black	*	329402	Black		*
329103	Sand	•	329303	Sand	*	329403	Sand		*

\* Special Order Colour – available via factory order 
\* Special Order Colour – available via factory order

\* Special Order Colour - available via factory order

## CE ®

LED rechargeable lamp Touch switch Dimmable: 5%-100% IP54 ♦ ▲

#### Materials:

- Aluminium die-casting
- Powder coating painting
- Clear glass

Charging time: 6-7h Working time: 12-14h Input: DC 5V == 1A (Adapter not included)

Power: 2.2W, 5V

Lithium Battery: 2\*2200 mAh

LED: CREE-XPE2 Lumens: 140

Colour temperature: 3000k

CRI ≥80

Warranty: 3 years / Battery: 2 years



LED rechargeable lamp Touch switch Dimmable: 5%-100%

IP54 ♦ ▲

#### Materials:

- Aluminium die-casting
- Powder coating painting
- Clear glass

Charging time: 6-7h Working time: 12-14h Input: DC 5V == 1A (Adapter not included)

Power: 2.2W, 5V

Lithium Battery: 2\*2200 mAh

LED: CREE-XPE2 Lumens: 140

Colour temperature: 3000k

CRI ≥80

Warranty: 3 years / Battery: 2 years



LED rechargeable lamp Touch switch Dimmable: 5%-100%

IP54 **※** ▲

#### Materials:

- Aluminium die-casting
- Powder coating painting
- Clear glass

Charging time: 6-7h Working time: 7-9h Input: DC 5V == 1A (Adapter not included) Power: 2\*2.2W, 5V

Lithium Battery: 2\*2200 mAh

LED: CREE-XPE2 Lumens: 256

Colour temperature: 3000k

CRI ≥80

Warranty: 3 years / Battery: 2 years

Design: Franco Pagliarini


## HANDY









Solar / USB rechargeable multipurpose lantern.











### Handy Mini



### Handy Maxi



611201 White \*
611202 Black \*

\* Special Order Colour - available via factory order



\* Special Order Colour - available via factory order



LED rechargeable solar lamp Touch switch Daylight sensor: activate at under 50 lux Dimmable: 5%-100%

IP54 **※** ▲

#### Materials:

- Aluminium die-castingPowder coating painting
- Frosted polycarbonate diffuser

Charging time:

- charge with USB charger: 5-6h - charge with solar energy: 15-16h

Working time: 10h-11h

Input: DC 5V == 1A (Adapter not included)

Power: 2.2W, 5V

Solar panel: 1.5w single crystal silicon

Lithium Battery: 1\*3600 mAh

LED: Lumileds 4014 Lumens: 196

Color temperature: 3000k

CRI >80

Warranty: 3 years / Battery: 2 years



LED rechargeable solar lamp Touch switch

Daylight sensor: activate at under 50 lux

Dimmable: 5%-100%

IP54 ♦ ▲

#### Materials:

- Aluminium die-casting
- Powder coating painting
- Frosted polycarbonate diffuser

Charging time:

- charge with USB charger: 5-6h - charge with solar energy: 15-16h

Working time: 10h-11h

Input: DC 5V == 1A (Adapter not included)

Power: 2.2W, 5V

Solar panel: 1.5w single crystal silicon

Lithium Battery: 1\*3600 mAh

LED: Lumileds 4014 Lumens: 187

Color temperature: 3000k

CRI >80

## GOOD NIGHT










## Good Night Indoor accent light



323201	White	*
323202	Black	•
323203	Sand	•
323204	Sage	•
323206	Red	•

\* Special Order Colour – available via factory order



LED rechargeable lamp Mechanical switch Dimmable: 5%-100%

IP20

#### Materials:

Aluminium die-casting
Powder coating painting
Opal polycarbonate diffuser

Charging time: 6-7h Working time: 11-12h

Input: DC 5V == 1A (Adapter not included)

Power: 2.2W, 5V

Lithium Battery: 2\*2200 mAh

LED: Lumileds 4014


Lumens: 145

Colour temperature: 3000k

CRI ≥80



## Multiple Charging Station



## <€

Multiple charging station IP20

Material: not flammable technopolymer (class V0)

Input: AC 100V-240V ~ 50/60 Hz

Output: DC 5V == 7A

Power: 35W







Max 3 layers



#### ELSTEAD LIGHTING

Dubai Office C/O The Ceiling Fan Company, Unit J59, Feeder Commercial Units, IMPZ, Dubai Production City, Dubai, UAE

Tel: +971 4 388 3025 dubaioffice@elsteadlighting.com